



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

**NOTICE OF ACCEPTANCE (NOA)**

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION  
11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786)315-2590 F (786) 31525-99  
[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

Seaman Corporation  
1000 Venture Boulevard  
Wooster, OH 44691

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION: FiberTite Roofing Membranes and Accessories**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA #21-0315.06 and consists of pages 1 through 4.  
The submitted documentation was reviewed by Alex Tigera.

08/08/24



NOA No.: 22-1221.02  
Expiration Date: 06/02/26  
Approval Date: 08/08/24  
Page 1 of 4

## ROOFING COMPONENT APPROVAL

**Category:** Roofing  
**Sub-Category:** Single Ply Roof Systems and Accessories  
**Material:** KEE

### TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

#### KEE SINGLE-PLY ROOFING MEMBRANES

| <u>Product</u>   | <u>Dimensions</u> | <u>Test Specification</u> | <u>Product Description</u>                                    |
|--|-------------------|---------------------------|---|
| FiberTite<br><i>Manufacturing Location #5 &amp; 6</i>        | Various           | ASTM D 6754               | KEE, polyester reinforced, single ply membrane                |
| FiberTite-SM<br><i>Manufacturing Location #5 &amp; 6</i>     | Various           | ASTM D 6754               | KEE, polyester reinforced, single ply membrane.               |
| FiberTite-XT<br><i>Manufacturing Location #5 &amp; 6</i>     | Various           | ASTM D 6754               | KEE, polyester reinforced, single ply membrane.               |
| FiberTite-Xtreme<br><i>Manufacturing Location #5 &amp; 6</i> | Various           | ASTM D 6754               | KEE, polyester reinforced, single ply membrane.               |
| FiberTite-Xtreme FB<br><i>Manufacturing Location #5</i>      | Various           | ASTM D 6754               | KEE, fleece-backed, polyester reinforced, single ply membrane |
| FiberTite FB<br><i>Manufacturing Location #5</i>             | Various           | ASTM D 6754               | KEE, fleece-backed, polyester reinforced, single ply membrane |
| FiberTite-SM FB<br><i>Manufacturing Location #5</i>          | Various           | ASTM D 6754               | KEE, fleece-backed, polyester reinforced, single ply membrane |
| FiberTite-XT FB<br><i>Manufacturing Location #5</i>          | Various           | ASTM D 6754               | KEE, fleece-backed, polyester reinforced, single ply membrane |
| Style 80<br><i>Manufacturing Location #5</i>                 | Various           | ASTM D 6754               | Polyester reinforced KEE membrane.                            |
| Style 80 FB<br><i>Manufacturing Location #5</i>              | Various           | ASTM D 6754               | KEE, fleece-backed, polyester reinforced, single ply membrane |



**TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:**

**ROOFING ACCESSORIES AND FLASHING COMPONENTS**

| <u>Product</u>   | <u>Dimensions</u>                              | <u>Test Specification</u> | <u>Product Description</u>   |
|--|--|---------------------------|--|
| FTR 60-mil Non-Reinforced<br><i>Manufacturing Location #1, 8</i>           | 0.060" x 54" x 24'                             | N/A                       | KEE flashing accessory   |
| FTR Cones<br><i>Manufacturing Location #2</i>                              | 1" to 8"                                       | N/A                       | Premolded "KEE" pipe flashing  |
| FTR Corners<br><i>Manufacturing Location #2</i>                            | 2' x 2'  | N/A                       | Premolded "KEE" polymeric corner flashing                              |
| FTR Wrapid Flash<br><i>Manufacturing Location #2</i>                       | ¾" to 3"                                       | N/A                       | Premolded "KEE" pipe boot  |
| FiberClad<br><i>Manufacturing Location #3</i>                              | 48" x 120"                                     | N/A                       | Polymeric coated G-90 galvanized steel or stainless steel              |
| FiberTite Simulated Metal Roof Profile<br><i>Manufacturing Location #4</i> | 100' coil                                      | N/A                       | Simulated metal roofing composed of "KEE" compound and adhesive strip. |
| Tuff Trac<br><i>Manufacturing Location #6</i>                              | 0.080" x 28"<br>Or 56" x 43"<br>¼" x 24" x 48" | N/A                       | Vinyl walk way<br>Vinyl protection pad                                 |
| Forti-Lock Liquid Flashing<br><i>Manufacturing Location #7</i>             | 2.5 gal  | Proprietary               | A rapid curing, polymethyl-methacrylate (PMMA) liquid flashing resin.  |



**MANUFACTURING LOCATION:**

- 1. Columbus, OH
- 2. Bloomingdale, IL
- 3. Franklin Park, IL
- 4. Chagrin Falls, OH
- 5. Wooster, OH
- 6. Bristol, TN
- 7. Wadsworth, OH
- 8. Marietta, OH

**EVIDENCE SUBMITTED:**

| <u>Test Agency</u> | <u>Test Identifier</u> | <u>Test Name/Report</u> | <u>Date</u> |
|--------------------|------------------------|-------------------------|-------------|
| NEMO ETC, LLC      | 4S-SOP-18-002.02.19    | Physical Properties     | 2019-02-04  |
|                    | 4r-SMN-20-SSTHP-01.A   | ASTM D6754              | 2021-09-30  |
|                    | 4r-SMN-20-SSTHP-01.B   | ASTM D6754              | 2021-09-30  |

**LIMITATIONS:**

- 1. Fire classification is not part of this acceptance.
- 2. The FiberTite Roofing Membranes and Accessories listed herein are designed for use as specified within approved roofing system NOA assemblies.
- 3. The FiberTite Roofing Membranes and Accessories may be used with any approved Roof Assembly Notice of Acceptance listing FiberTite Roofing Membranes and Accessories as a component part of an assembly in the Notice of Acceptance. If FiberTite Roofing Membranes and Accessories are not listed, a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products.
- 4. All component materials or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



**END OF THIS ACCEPTANCE**

