### MIAMI-DADE COUNTY INTERNAL SERVICES DEPARTMENT (ISD)

ADDENDUM NO. 1 September 20, 2024

PROJECT: Police Station 5, Car Lift Replacement

Contract No: MCC 7360 Plan - CICC 7360-0/08

RPQ No: ID-0000000564

BID DUE DATE: October 2<sup>nd</sup>, 2024; 02:00 P.M.(REVISED)

FROM: Miami-Dade County DTPW

Fleet Management Division 3501 NW 46th Street, 2nd Floor

Miami, FL 33142 305.269.5215

TO: Prospective Bidders and Interested Parties

This Addendum forms part of the project solicitation documents and will be incorporated into the Contract Documents, as applicable. Insofar as the Original Contract Documents, Drawings and Specifications are inconsistent, this Addendum shall govern. Please acknowledge receipt of this Addendum, at the time of bid submittal to Miami-Dade County, in the space provided on the "Acknowledgement of Addenda Form" provided with the project solicitation documents. Failure to acknowledge receipt of all addenda may be cause for disqualification.

### **CHANGES TO THE INVITATION TO BID:**

- A. Bid opening date has been moved from September 25 to October 2<sup>nd</sup>, Time and place remain unchanged.
- B. Delete Estimate Base Value of \$16,000.00 and replace it with \$20,000.00.
- C. Modify Location of Work as follows:
  - a. Work to be done at two locations:
    - i. Station 5, Vehicle Repair Facility, 7707 SW 117th Avenue, Miami, Florida, 33173, and;
    - ii. Shop 1 Main Vehicle Repair Facility, 703 NW 25th Street, Miami Florida 33127.
- D. Modify Scope of Work as follows:
  - a. Work under this Contract includes furnishing of all supervision, labor, materials, tools, and performing all operations required to construct the Work in accordance with the Contract Documents.
  - b. Work includes but is not limited to removing one (1) inground car lift at Police Station 5, removing one (1) above-ground lift Mohawk LMF-12 from Shop 1 Main, and installing it at Police Station 5. Work also includes installing a new above-ground car lift Challenger 223-CL10V3-2-QC versymmetric furnished by the County at Shop 1 Main. The contractor to be responsible for all permit requirements. Refer to Article 2.02 of the Special Provisions for Addendum No. 1 for additional Work details.
  - c. If any changes are required due to a conflict of design and or field conditions, the Project Manager will make the final determination:
- E. Modify Calendar Days for project completion from 60 days to 180 days.

### MIAMI-DADE COUNTY INTERNAL SERVICES DEPARTMENT (ISD)

### ADDENDUM NO. 1 September 20, 2024

### **CHANGES TO THE BID FORM:**

- F. Delete Bid form from the original solicitation and Contract Documents package and replace it with the attached Bid Form for Addendum No. 1.
  - a. Additional lines were added to separate the removal and installation of each phase.

### **CHANGES TO THE SPECIAL PROVISIONS:**

A. Delete Special Provisions in its entirety and replace it with the attached Special Provisions for Addendum No. 1 herein attached.

### **END OF ADDENDUM NO. 1**

Alfredo E. Munoz, P.E.

Fleet Management Division, Manager

Internal Service Department (ISD)

AM:fp

CC:

Frances Perez-Texidor, ISD Caesar Suarez, SBD

Chris DiGiacomo, ISD Pete Moolah Laurie Johnson, ISD John Sanso

Project File Clerk of the Board

### **REVISED BID FORM FOR ADDENDUM NO. 1**

### INTERNAL SERVICES DEPARTMENT

### FLEET MANAGEMENT DIVISION

PROJECT NAME: Police Station 5, Car Lift Replacement

RPQ NO. ID-0000000564

Bid Opening l	Date: Wednesday, October 3, 2024
Bid Oper	ning Time: 2:00 PM
Local Time: SPO	CC Clerk of the Board, 17 Floor
C	5, Car Lift Replacement - RPQ NO. ID re examined, are familiar with, and do accept
Addendum No.	Dated
Addendum No.	Dated
	Bid Oper Local Time: SPo bearing the title <b>Police Station</b> heir provisions in our Bid. We hav

Failure to acknowledge receipt of all addenda may cause the bid to be considered not responsive to the invitation, which would require rejection of the bid.

RPQ No.: ID-0000000564- Page 1 of 3

### **REVISED BID FORM FOR ADDENDUM NO. 1**

PROJECT NAME: Police Station 5, Car Lift Replacement

PROJECT No.: ID-0000000564

### **BID FORM**

IF THIS CONTRACT IS ACCEPTED, THE BIDDER AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN 20 CALENDAR DAYS AFTER THE EFFECTIVE DATE OF NOTICE TO PROCEED. PRICING SHALL BE INCLUSIVE OF ALL REQUIREMENTS TO COMPLETE THE SCOPE OF WORK AND IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
1	Removal of an inground car lift (Model SL9000k) and filling the pit with concrete at Police Station 5. See Article 2.02 of the Special Provisions for Addendum No.1	LS	1.0		
2	Removal of Mohawk Lift at Shop 1 Main, and transport to Station 5. See Article 2.02 of the Special Provisions for Addendum No.1	LS	1.0		
3	Install one (1) Mohawk lift at Station 5,	LS	1.0		
4	Install one (1) Challenger Lift at Shop 1 Main.	LS	1.0		

TOTAL BASE BID	\$	
I O III DI DID	Ψ_	

(Instructions: The spaces provided in the Total Price Column(s) for the Bid Line Item(s) must be filled in and no spaces left blank. The sum of the Bid Line Items must represent your Base Bid Total. Failure to submit a complete and accurate Bid Form may result in your bid found non-responsive.)

A TEN PERCENT (10%) CONTINGENCY ALLOWANCE AND OTHER DEDICATED ALLOWANCES AS REQUIRED WILL BE ADDED TO THE BASE BID TOTAL AS STIPULATED IN THE SPECIAL PROVISIONS.

LICENSE NO	BIDDER'S NAME
BIDDER'S TELEPHONE NUMBER_	BIDDER'S ADDRESS
BIDDER'S FEIN NUMBER	BIDDER'S SIGNATURE

RPQ No.: ID-0000000564- Page  ${\bf 2}$  of  ${\bf 3}$ 

### **REVISED BID FORM FOR ADDENDUM NO. 1**

THE BIDDER UNDERSTANDS AND AGREES THAT THE BASE BID TOTAL AND ALL APPLICABLE ALLOWANCES ARE INCLUSIVE OF ALL WORK NECESSARY TO COMPLETE THE SCOPE OF WORK AS DESCRIBED IN THE CONTRACT DOCUMENTS, AND IF THIS PROPOSAL IS ACCEPTED, THE BIDDER AGREES TO ENTER INTO AND EXECUTE THE CONTRACT WITH THE NECESSARY BOND AND ACCEPT THE ABOVE BASE BID, INCLUSIVE OF ALL ALLOWANCES, AS FULL COMPENSATION FOR THE WORK PERFORMED UNDER THIS CONTRACT.

### \*YOU ARE REQUIRED TO TRANSFER TOTALS TO FORM APPENDIX 5A, FAILURE TO COMPLY WITH THIS REQUEST MAY RENDER THE PROPOSAL NON-RESPONSIVE.

By submitting a bid pursuant to this solicitation, Bidder agrees that all such materials may be considered to be public records. The Bidder shall not submit any information in response to this solicitation which the Bidder considers to be a trade secret, proprietary or confidential. In the event that the Bid contains a claim that all or a portion of the Bid submitted contains confidential, proprietary or trade secret information, the Bidder, by signing below, knowingly and expressly waives all claims made that the Bid, or any part thereof no matter how indicated, is confidential, proprietary or a trade secret and authorizes the County to release

RPQ No.: ID-0000000564- Page 3 of 3

### SPECIAL PROVISIONS FOR ADDENDUM NO. 1

### **TABLE OF CONTENTS**

### 1. GENERAL REQUIREMENTS

	1.01	MISCELLANEOUS CONSTRUCTION CONTRACTS (MCC) PLAN. GENERAL TERMS AND CONDITIONS AND SPECIAL CONDITIONS	1
	1.02	SCOPE OF WORK	1
	1.03	LOCATION OF WORK	1
	1.04	TIME FOR COMPLETION	1
	1.01	PERMITS	2
	1.02	SUPPLIER AND SUB-CONTRACTORS	2
2.	GEN	ERAL CONSTRUCTION	
	0.04		
	2.01	FIELD OFFICE (REV. 11-9-15)	3
	2.02	IN-GROUND AND ABOVE-GROUND LIFTS REMOVAL AND INSTALLATION OF TWO ABOVE-GROUND LIFTS	3

### APPENDIX "A" TO SPECIAL PROVISIONS

Authorization Agreement for Automatic Deposit

### APPENDIX "B" TO SPECIAL PROVISIONS

Pictures of Existing Equipment

### APPENDIX "C" TO SPECIAL PROVISIONS

Specifications of Furnished Equipment- car lift, Challenger 223-CL10V3-2-QC versymmetric

### 1. GENERAL REQUIREMENTS

### 1.01 MISCELLANEOUS CONSTRUCTION CONTRACTS (MCC) PLAN. GENERAL TERMS AND CONDITIONS AND SPECIAL CONDITIONS

A. Division 01 (General Requirements) of the ISD Specifications amends the MCC Plan, and other provisions of the Contract Documents. All requirements of the MCC Plan, Resolution and amendments', or portions thereof, which are not specifically modified, deleted, or superseded by Division 01, remain in full effect. In the event a conflict between these two complementary portions of the Contract Documents occurs, Division 01 will prevail, and the Project Manager will provide clarification and final determination.

### 1.02 SCOPE OF WORK

- A. Work under this Contract includes furnishing of all supervision, labor, materials, tools, and performing all operations required to perform the Work in accordance with the Contract Documents.
- B. Work includes but is not limited to removing one (1) inground car lift at Police Station 5, removing one above-ground lift, Mohawk LMF-12, from Shop 1 Main and installing it at Police Station 5; and installing a new above-ground car lift, Challenger 223-CL10V3-2-QC versymmetric, furnished by the County at Shop 1 Main. Contractor to be responsible for all permit requirements. Refer to Article 2.02 from these Special Provisions for Addendum No. 1 for additional Work details.
- C. If any changes are required due to conflict of design and or field conditions, the Project Manager will make the final determination.
- D. The Contractor and all subcontractors, under this Contract, are prohibited from performing any work, other than specified in the Contract and/or directed by the Project Manager, within the limits of the project site, without prior written notification to the Project Manager. This includes any work for private or commercial entities.

### 1.03 LOCATION OF WORK

- A. The location of work to be performed under the terms of this Contract shall be at the following two (2) locations:
  - 1. Miami Dade Police Station 5, Kendall. Station 5, Vehicle Repair Facility, 7707 SW 117th Avenue, Miami, Florida, 33173.
  - 2. Shop 1 Main Vehicle Repair Facility, 703 NW 25th Street, Miami Florida 33127.

### 1.04 TIME FOR COMPLETION

A. The Work must be substantially completed within **150 days** after the date when the Contract Time commences to run as provided in Subarticle 1.06 N of the General Requirements (Division 1), and all requirements of the Contract Documents completed and ready for final payment within **180 days** after the date when the Contract Time commences to run.

B. The effective date of the "Notice to Proceed" will be established during the Preconstruction Conference which is held shortly after the Award of Contract and which is attended by members of the Department, the Contractor, representatives of utility companies, and others affected by the Work. The effective date shall be set as a date no later than 30 calendar days after the date of execution of the Contract Documents, unless a later date acceptable to both parties is agreed upon in writing.

### C. Working Hours

1. Contractor will be allowed to work between the hours from 6:00 AM to 2:30 PM. From Monday to Friday. Contractor to coordinate precise work hours with each Shop Manager.

### 1.01 PERMITS

- A. Expand Article 1.05C of the General Requirements as follows:
  - 1. The Contractor will be required to obtain all permit(s) from any governmental agency for this turnkey project, inclusive of any building codes requirements. The Contractor shall procure and pay for all permits and licenses, charges and fees and give all notices necessary and incidental to the due and lawful prosecution of the work. The cost of all permits, fees, etc., shall be included in the price bid. A copy of the permit(s) must be presented to the County's point of contact for this turnkey project prior to permitting work to be started. All permits must be fully closed, and the Contractor must present proof of closure before the County issues payment.

### 1.02 SUPPLIER AND SUB-CONTRACTORS

A. Contractor should stipulate in their proposal all suppliers and sub-contractors they plan to use for this job. This list should be updated as needed by the Contractor. The Contractor will be required to obtain all release of liens, claims, notice to owners. etc. from all suppliers and subcontractors prior to payment being made by the County. All these releases must be presented to the County's point of contact for this job.

### 2.01 FIELD OFFICE (REV. 11-9-15)

A. A local field office is not required; however, the Contractor will be required to provide the Project Manager with a local (Miami-Dade County) telephone or cellular number, where the Contractor may be contacted 24 hours a day, 7 days a week during the period for which the Contract is in force.

### 2.02 IN-GROUND AND ABOVE-GROUND LIFTS REMOVAL AND INSTALLATION OF TWO ABOVE-GROUND LIFTS

- A. The Internal Services Department (ISD), Fleet Management Division (FMD) needs to have the following lift installations and relocations.
  - 1. Remove one (1) in-ground lift, from Police Station 5. All components (cylinders, lines, pump motor, etc.) of the old inground lift are to be completely removed, and the area of old underground lift is to be filled with concrete.
  - 2. Remove one (1) Mohawk LMF-12 lift above-ground, installed at Shop 1 Main. Transport the lift and install it at Police Station 5, bay 2.
  - 3. Install a new above-ground car lift, Challenger 223-CL10V3-2-QC Versymmetric furnished by the County at Shop 1 Main.
- B. The silence of specifications on any point shall mean that only the finest commercial practices of the construction trades (including but not limited to all engineering, structural, electrical, etc.) and automotive lift industry (including but not limited to installation, operating, testing, etc.) shall apply to all facets of this "turnkey and ready to work" project upon its completion.

### C. In-Ground Lift Removal Work Detail:

- 1. The Contractor will protect any air tubing, conduit, or lighting on the roof, walls, etc. from damage while work is being performed.
- 2. In Bay # 2 at Police Station 5, (7707 SW 117 Avenue, Miami Florida) remove the existing SL9000k Serial TKL96A0024 and all components of the existing lifts including cylinders, hydraulic lines, lift post, hydraulic fluid tank, and wall-mounted control per best practices and OEM requirements. The metal casing surround currently in the ground is not to be removed and left in place. If the casing protrudes above the existing concrete, the casing is to be ground even with the existing floor. As part of this work the Contractor will be required to fully clean the inside of the metal casing of any debris, fluids (oils, water, etc.), and treat the casing as required to promote the proper adhesion of the concrete to it. In addition, the Contractor will be required to provide any needed equipment to remove the lift.
- 3. The Contractor will provide pallets to load and will securely tie all old equipment, inclusive of all components (cylinders, lines, lifts parts, etc.) to these pallets. The Contractor will be required to load these items into a county vehicle. The County will have the vehicle on site during the removal process. In addition, all hydraulic lines, motors, cylinders, etc. must be properly capped to always prevent oil spills from them.

- 4. Contractor to fill the void of the casing with concrete to create a level floor with the existing floor. The void is approximately 5 feet long, 18 inches wide, and 7 feet deep with a minimum 4000 psi concrete rated for vehicle and shop use. The Contractor must use a concrete vibrator to remove air bubbles from the concrete being poured into the void.
- 5. Finished concrete with smooth finish is to be prepared and painted with light gray color epoxy paint suitable for usage in an automotive shop repair environment to prevent oils, fluids, etc. from soaking into this new concrete.
- D. Removal of Mohawk LMF-12 lift at Shop 1, transport Mohawk to Station 5.
  - 1. Remove Mohawk LMF-12 lift, serial # 95081170 from bay # 7 at Shop 1 Main (703 NW 25th Street) and transport to Police Station 5 (7707 SW 117th Avenue), to be installed at bay #2, where the in-ground lift was removed. Use the below instructions to install the lift and use Original Equipment Manufacturer (OEM) requirements. All new electrical requirements to be included under the installation of the unit. The current lift is being serviced by a 220 Volt, 30 Amp Circuit with #12 wire.

### E. Above Ground Lift Installation.

- For bay 7 at Shop 1 Main, fully install a rotary lift furnished by the County. The lift is a Challenger lift with a single stage 220 Volts, Rotunda, Part Number 223-CL10V3-2-QC. this lift design uses a Versymmetric column offset (Specific to Challenger Lifts), the placement will have to be strategically placed and in accordance with manufacturer specifications. For more information, please refer to Appendix C and below link with product information for Rotunda, Part 223-CL10V3-2-QC at: <a href="https://rotunda.service-solutions.com/en-US/Pages/ItemDetail.aspx?itemID=29813">https://rotunda.service-solutions.com/en-US/Pages/ItemDetail.aspx?itemID=29813</a>.
- 2. Electrical system verification will be performed by the Contractor. The contractor shall verify that the new lift will work with the existing electrical power system and breakers on site. If the new lift system does not work with the existing electrical system as part of this installation, the Contractor will be required to upgrade the electrical system to all applicable codes as part of this solicitation. Be aware that the system is single-stage 220 Volts.
  - All conduit and wiring used to provide and power the lift are to be properly installed according to all electrical and building codes and attached to the existing visible roof and walls.
- 3. The lift will be installed in a symmetrical orientation. The installation is to follow and adhere to the manufacture's installation process.
  - a. The ceiling height in bay 7 is 12'-4" from the floor to the lowest beam. The contractor must verify and ensure that the lift fully fits within the envelope of the bay and existing roof height without the need for modification to the building.
- 4. For bay 2 at Police Station 1 fully install a Mohawk LMF-12 serial # 95081170
  - a. The ceiling height in bay 2 is 11' 6". Contractor must verify and ensure that the lift fully fits within the envelope of the bay and existing roof height without the need for modification to the building. The roof height is 11'6" at the bottom of the roof truss and 12'6" at the top. Contractor to install the lift in between trusses to allow for the extra 2" column height.
  - b. The installation of this lift must not interfere with the operation of the existing lifts next to it (left or right) when they are loaded with full-size cargo vans or pickup with 8 ft bed or 15-

- passenger van. The placement must be sufficient width to allow for walkthrough space. The Contractor to coordinate with the County to mutually agree on the exact location where the lifts will be installed in the bay.
- c. It is currently unknown if the existing concrete slab structure can or cannot fully support the direct mounting of the lift. Therefore, if the existing slab cannot support the direct mounting of the lift, as part of this installation, the Contractor will perform the following:
  - 1) Evaluate the affected area to be cut out to ensure no utilities are imbedded and/or underneath the existing concrete.
  - 2) Saw cut and break out existing concrete in area for where the new above ground lift will be installed. During the saw cut process, to minimize the dust, the Contractor should use a water lubricating type saw and establish poly sheeting protective barrier creating a "U" type shape area to channel all dust to the exterior of the building.
  - 3) Fully prepare area to the proper depth including placing all required/recommended reinforcements (i.e., rebar, wire mesh, etc.) by the manufacturer installation instructions and in accordance with all the local building codes for the pouring of a new concrete footer/floor
  - 4) The new footer/floor area must be leveled and with a thickness of no less than 6 inches or greater and a minimum tensile strength of concrete: 4,000 PSI or greater to meet or exceed manufacturer installation requirements and all local building codes. A concrete vibrator must be used to remove air bubbles from the concrete being poured for the footers and floor.
  - 5) New properly rated mounting points are to be installed per factory installation instruction and recommendation, in addition to all applicable building codes.
  - 6) Prior to installation of the lift, the new floor area is to be prepared and painted with light gray color epoxy paint suitable for usage in an automotive shop repair environment.
  - 7) Install new lift on approved mounting points and tighten fasteners per OEM installation requirements. shim the columns so they are level, and the arms swing without touching the floor.
  - 8) Run electrical wiring to existing electrical system and connect, level, run, and fully cycle the lift empty and with a vehicle provided by the County.
  - 9) The Contractor to provide basic training on proper operation of the lift to staff on site.
  - 10) All warranty repairs performed by the Contractor and/or a supplier to him or her during the OEM warranty period are to be free of fees for labor, travel time, freight, etc.
- 5. At the completion of the installation of the new lift, the Contractor will also properly dispose of all other debris, materials, and bi-products as a result of the demolition and installation of the new lift.

### F. Safety and Security

- Due to the location of this facility, the Contractor must take all necessary steps to advise and
  prevent their employees from wandering within this compound, away from the Internal Service
  Department (ISD) Fleet Facilities. The Contractor must also take all necessary safety and
  security precautions to secure the site to prevent any County employee from ISD or person
  visiting the facilities from entering the construction site.
- 2. The Contractor shall adhere to all applicable OSHA and Regulatory and Economic Resources quidelines, procedures, and protocols to perform this job.

### APPENDIX "A" TO SPECIAL PROVISION

Authorization Agreement for Automatic Deposit



### ACH AUTHORIZATION AGREEMENT FOR AUTOMATIC DIRECT DEPOSIT OF MIAMI-DADE COUNTY WARRANTS

We hereby authorize the Finance Department to initiate credit entries and, if necessary, a debit entry in order to reverse a credit entry made in error in accordance with NACHA rules.

**Original form** must be received before we can process your request for ACH deposits. Please refer to page 2 for instructions. Processing of the form is approximately 15 days from of completed original form.

This authority is to remain in effect until revoked by us at the Finance Department in writing. Account changes must be reported to the Finance Department at a minimum fifteen (15) days prior to actual change and receipt.

Department at a minimum tifteen (15) days pi					
	Section 1 (7	O BE COMPLETE	D BY VENDOR)		
TRANSACTION TYPE:	New	Cha	nge 🔲	Termin	nate 🔲
FEDERAL IDENTIFICATION NUMBER		(AS PER CURRE	T W-9)		(FOR INTERNAL USE ONLY)
VENDOR NAME :					
DBA (DOING BUSINESS AS) :					
FISCAL OFFICER NAME AND TITLE :					
TELEPHONE NUMBER :					
EMAIL:					
ACH NOTIFICATION EMAIL:					
(ACH Notification/Payment details will be sent to this address	55)				
ROUTING NUMBER					(FOR INTERNAL USE ONLY)
VENDOR'S BANK ACCOUNT NUMBI	R				(FOR INTERNAL USE ONLY)
TYPE OF ACCOUNT	Checking		Savings		
AUTHORIZED SIGNATURE			DATE :		
OUR MAILING ADDRESS. SUBMISSION OF Y					
Section	on 2 <i>(TO BE CC</i>	OMPLETED BY FII	NANCIAL INSTIT	TUTION)	
FINANCIAL INSTITUTION NAME					
ADDRESS					
TELEPHONE NUMBER :			EMPLOY	EE ID NO. :	
EMAIL:					
BANK OFFICIAL NAME AND TITLE:  I have verified that the account and rou I have also verified that the person signi				o vendor note	ed above.
SIGNATURE			DATE :		
Section 3 (TO B	COMPLETED	BY MIAMI-DADI	FINANCE DEPA	ARTMENT)	
Accounts Payable - Sup	plier Mainten	ance Verification	ıs	Finance	- Review/Approva
Corp. Officer Name : Bank Officer	:	Routing # verified b	<b>/</b> :	First review	and approval
Corp. Officer Title : Date:		Approved by :		Date of rev	iew:
A/P Staff Initials :		A/P Supervisor			ew and approval
Date:		Date :		Date of rev	iew.



### ACH AUTHORIZATION AGREEMENT FOR AUTOMATIC DIRECT DEPOSIT OF MIAMI-DADE COUNTY WARRANTS

### **INSTRUCTIONS**

Please contact us at (305) 375-5111 or email at FIN-APSM@miamidade.gov if you have any questions or need assistance with this form. You may obtain blank copies of this form at: <a href="http://www.miamidade.gov/finance/library/ach\_form.pdf">http://www.miamidade.gov/finance/library/ach\_form.pdf</a>

As a Miami-Dade County supplier you can have access to our supplier portal. The portal offers a one-stop site for suppliers to view bidding opportunities, information on contracts awarded by the County, ability to update their profile, invoice processing, payment information and other features.

Visit us at https://supplier.miamidade.gov

### Section 1

### **Transaction Type**

New: If vendor is currently not on ACH deposits with Miami-Dade County.

Change: If vendor is currently on ACH deposits with Miami-Dade County and would like to make changes to their information

(example: change of financial institution, account number, E-Mail address, etc.)

Terminate: If vendor is currently on ACH deposits with Miami-Dade County and would like to switch to either Check or AP Control

disbursement type)

Federal Identification Number: Enter your Federal Employer Identification Number (FEIN) or Social Security Number (SSN) used to register you as a vendor with Miami-Dade County. Name and FEIN/SS must be exactly as provided on IRS Form W-9.

**Vendor Name:** Enter the name of your business or individual name used to register you as a vendor with Miami-Dade County. **DBA (Doing Business As ):** If you have registered a DBA for your business or for you as an individual, please enter it here. **Fiscal Officer Name, Title and E-Mail:** Name of Authorized Corporate officer, Title and E-Mail address to be contacted to.

ACH Notification E-Mail: This is the E-Mail address where payment information will be sent to.

### Section 2

This section must be completed in full and legible manner by your banking institution in order to prevent delays in processing change to ACH.

Both acknowledgment statements must be checked off by Bank Official signing and dating the form.

### Section 3

This section will be completed by Miami-Dade County Finance Department.

### ORIGINAL FORM AND VOIDED CHECK OR REDACTED STATEMENT MUST BE MAILED TO:

Accounts Payable - Supplier Maintenance Team Miami-Dade County Finance Department 111 NW First Street, Suite 2620 Miami, Florida 33128

### **Terms and Conditions**

Processing time is approximately fifteen (15) days from receipt of complete form and voided check or redacted Bank statement.

Providing account information does not authorize Miami-Dade County to access bank account activity.

ACH deposits can be made into only one (1) bank account. Payments can not be split between multiple accounts.

Notification E-mail providing payment information can be sent to one (1) e-mail address only.

Proper verification will be conducted by Miami-Dade County Finance Department Staff, via a telephone call to confirm the information being provided is accurate.


This authorization shall remain in effect until terminated in writing with sufficient notice to Miami-Dade County Finance Department.

Miami-Dade County will not be responsible for any loss that may arise solely by reason of error, mistake or fraud regarding information provided on this ACH Authorization Agreement Form.


### APPENDIX "B" TO SPECIAL PROVISION

Pictures of Exisiting Equipment at Station 5

### **Exisiting Equipment**
















1 300 K F 671 GER 9/23-8	2. COOM TOP
3 6 FCT by Wall	
5. North and gate	
7- 22/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	8- South side Cate
9- Outo Report Hydraulis	10-
11- puto Repair Hydraulic	12-
13. Outo Repair Time de	14- Atra-Compressed
15- auto Repair	16- Air Compressor
17-9 Aydroslic UNIT 1	18- Air Compressor
19-14-4 draulicunit	20-
21 Hotoserville Cepton	22-
23-Cempte Balance	249 AC Storage Know
25-L'empurer Balancen	26º AC Storage Room
29- FUEL SUB	- 28 - Bordqilleau leccopt
31-Body Jam Richt	30-
33- Body Cam Recept	32-7 Data Room Recept  34- Data Room Recept
THE COPT	
39-Bedy Cam Ruseft.	40-
	42-



# PANEL E2 SEC 2 208Y/120V 3PH 4W

## 

### Cutler-Hammer

Pnl. Type	PIRL	Pril Amps 225
Volts	208Y/120 V	Phase 3 Wire 4
Neut. Cat	CHIN 225L	Neut. Amps 225
Date	3/10/2010	Neut Volts 120
Box Cat.	XXXXX	Box Type X
Job No.	33P136710-001D	Wifdg. At CVS

HANDLE IN MID-POSITION INDICATES THE BREAKER IS TRIPPED.

TO RESET, MOVE HANDLE TO "OFF" POSITION.

MAXIMUM SUM OF BREAKER RATINGS PER STAB, 140A.

THIS PANELBOARD IS CERTIFIED FOR MOUNTING IN ANY OF THE FOLLOWING POSITIONS:

A: MAINS AT TOP.

B: MAINS AT BOTTOM,

C: HORIZONTALLY

CERTIFIED FOR 60/75 C CU/AL CONDUCTORS

FOR ADDITIONAL OR REPLACEMENT BREAKERS, USE UL CERTIFIED CUTLER HAMMER TYPE BAB, QBHW, QBGF OR GFCBB CIRCUIT BREAKER.

SIZE WIRING FOR 30A TO 100A BREAKERS BASED ON 75°C AMPACITY.

MAXIMUM CONTINOUS LOADS ON MAIN OR BRANCH CIRCUITS NOT TO EXCEED 80% OF THE RATINGS OF THE LISTED CIRCUIT BREAKERS.

EQUIPMENT GROUND BAR
SUITABLE FOR (1) #4-14 AL/CU WIRE
OR UP TO (3) #10-14 AL/CU WIRES
MULTIPLE WIRES IN A SINGLE
HOLE MUST BE SAME SIZE AND MATERIAL.
















### APPENDIX "B" TO SPECIAL PROVISION

Pictures of above-ground lift, Mohawk LMF-12, from Shop 1 Main



### **AUTOMOTIVE LIFT**

Automotive Lift Institute Certification Program

Verified and Administered by ETL Testing Laboratories, Inc.

TO THE PROVISIONS OF THE ALI CERTIFICATION PROCEDURAL GUIDE AND ANSIALI BISLS



ETL LISTED

MOTOR OPERATED APPLIANCES

AL31676 A

TESTED TO ANSI/U.L. STANDARD 73

ETL TESTING LABORATORIES INC.

### MOHAWK RESOURCES LFD.

P.O. Box 25 - Moneye Industrial Park - Amsterdam 13 x 1 2010. Promis: (\$16) 642-1431. Ourside N.Y. - 800-1533-2000

MODELA

LMF-12

SERIAL

2

CAPACITY 12,000 lbs

THE MULTIPLE CONTRACTOR AND SECURITY AND SAFETY STANDARD AND THE CONTRACTOR AND SAFETY STANDARD AND SAFETY AND SAFETY SAFETY SAFETY AND SAFETY SAFETY

THIS EQUIPMENT IS PROTECTED BY U.S. PATENT #4500071 CANADIAN PATENT #436063



THE ACTION OF LIFT HAD REASONANCED TO COMPONE TO the REQUIREMENT OF MANUAL PLANTS STATEMENT OF MANUAL PLANTS CONTRIBUTED AND THE ACTION AND T

AUTOMOTIVE LIFT INSTITUTE, INC.











### APPENDIX "C" TO SPECIAL PROVISION

Specifications of Furnished Equipment- car lift, Challenger 223-CL10V3-2-QC Versymmetric

















Model#: CL10V3-QC
Versymmetric.® Plus 2-Post Lift with
Quick Cycle
10,000 lb, capacity
(shown with optional accessories)





### **CL10**series

Service more vehicles and make more money with the CL10series two post auto lifts. Its exclusive Versymmetric Technology provides the versatility to safely lift vehicles symmetrically or asymmetrically within the same service bay.

With standard directSPOT" arm design, three Versymmetric® productivity configurations - Max Plus Productivity and Maximum Productivity, drive-on style pads, Quick Cycle", and adjustable height and width options, CL10series two post automotive lifts are the best choice for professional service facilities.

Other standard features include double telescoping screw pads, Heavy-Duty pulley and cable equalization system, elongated carriage, rubber door guards, adjustable arm restraint shafts, single point mechanical lock release and padded overhead shut off system.